PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

G06F 17/30

A1

(11) International Publication Number: WO 00/34899

(43) International Publication Date: 15 June 2000 (15.06.00)

US

(21) International Application Number: PCT/US99/29312

(22) International Filing Date: 8 December 1999 (08.12.99)

(30) Priority Data: 60/111,717 8 December 1998 (08.12.98)

(71) Applicant (for all designated States except US): EBAY, INC. [US/US]; Suite 350, 2005 Hamilton Avenue, San Jose, CA 95125 (US).

(72) Inventor; and (75) Inventor/Applicant (for US only): HANDLER, Bradley, A.

[US/US]; 1030 Helm Lane, Foster City, CA 94404 (US).

(74) Agents: MILLIKEN, Darren, J. et al.; Blakely, Sokoloff, Taylor & Zafman LLP, 7th floor, 12400 Wilshire Boulevard, Los Angeles, CA 90025 (US). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: INTEGRATED AUCTION FOR REMOTE ONLINE BIDDERS AND LIVE PARTICIPANTS AT AN AUCTION SITE

(57) Abstract

A method and apparatus are provided for conducting an integrated auction that incorporates various features of traditional and online auctions. According to one aspect of the present invention, the integrated auction includes a live, in-person auction component (620) and an online bidding environment component. Bidding information associated with an item in the online bidding environment is updated to reflect a current bid associated with the item in the live, in-person auction. During the live, in-person auction, a bid may be accepted from an online bidder in the online environment that reflects a maximum price the online bidder is willing to pay for the item. Subsequently, the system bids on behalf of the online bidder against one or more live bidders that are participating in the live, in-person auction based upon the maximum price (640).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	Ll	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTEGRATED AUCTION FOR REMOTE ONLINE BIDDERS AND LIVE PARTICIPANTS AT AN AUCTION SITE

This application claims the benefit of U.S. Provisional Application No. 60/111,717, filed 12/8/98.

5

10

15

20

25

30

COPYRIGHT NOTICE

Contained herein is material that is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction of the patent disclosure by any person as it appears in the Patent and Trademark Office patent files or records, but otherwise reserves all rights to the copyright whatsoever.

FIELD OF THE INVENTION

The invention relates generally to the fields of auctioning and online commerce. More particularly, the invention relates to an integrated auction format that incorporates features of both Internet and traditional, real world auctions.

BACKGROUND OF THE INVENTION

With the advent of online auctioning pioneered by eBay Inc., the assignee of the present invention, more and more Internet users are realizing the ease and convenience of buying items online. As the leading person-to-person trading site, buyers are compelled to trade on eBay's web site due to the large amount of content available. Similarly, sellers are attracted to eBay to conduct business where there are the most buyers. Ebay currently provides over two million new auctions, and 250,000 new items every day from which users may choose.

Auction houses that run live, real-time, on-site auctions ("traditional auctions") continue to experience much success. However, geographic barriers, travel costs, and other constraints limit the participation in such auctions.

It is desirable, therefore, to expand the reach of traditional auctions via the Internet. In particular, it would be advantageous to incorporate the best of both Internet and traditional auctions into an integrated auction format.

BRIEF SUMMARY OF THE INVENTION

A method and apparatus are described for conducting an integrated auction that

incorporates various features of traditional and online auctions. According to one aspect of
the present invention, the integrated auction includes a live, in-person auction component and
an online bidding environment component. Bidding information associated with an item in

2

the online bidding environment is updated to reflect a current bid associated with the item in the live, in-person auction. During the live, in-person auction, a bid may be accepted from an online bidder in the online environment that reflects a maximum price the online bidder is willing to pay for the item. Subsequently, the system bids on behalf of the online bidder against one or more live bidders that are participating in the live, in-person auction based upon the maximum price.

Other features of the present invention will be apparent from the accompanying drawings and from the detailed description which follows.

10 BRIEF DESCRIPTION OF THE DRAWINGS

5

15

20

25

30

35

The present invention is illustrated by way of example, and not by way of limitation, in the figures of the accompanying drawings and in which:

Figure 1 is a simplified view of an exemplary client-server environment in which the online portion of an integrated auction may occur according to one embodiment of the present invention.

Figure 2 is an exemplary online auction site screen that allows online bidders to participate in an integrated auction according to one embodiment of the present invention.

Figure 3 is an example of a computer system upon which one embodiment of the present invention may be implemented.

Figure 4 is a high level illustration of the interaction between various devices and processes according to one embodiment of the present invention.

Figure 5 conceptually illustrates the stages of an integrated auction according to one embodiment of the present invention.

Figure 6 is a flow diagram illustrating integrated auction processing according to one embodiment of the present invention.

DETAILED DESCRIPTION

A method and apparatus are described for carrying out an integrated auction that incorporates various features of traditional and online auctions. In the following description, for the purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent, however, to one skilled in the art that the present invention may be practiced without some of these specific details. In other instances, well-known structures and devices are shown in block diagram form.

As will be described in greater detail below, the present invention includes features that seek to enhance the traditional auctioning experience. According to one embodiment, an integrated auction incorporates various features of traditional and Internet auctions (also

3

referred to as online auctions). In a first stage of the integrated auction, e.g., the "pre-auction bidding stage," a starting bid for a traditional, live auction may be established based upon bids received from online bidders. Subsequently, in a second stage of the integrated auction, e.g., the "live auction stage," a live auction is conducted by an auction house, such as Guernsey's, using the highest bid from the pre-auction bidding stage. During the live auction stage, bidding information is updated on the online auction site and online bidders may submit additional maximum proxy amounts. Finally, in an optional third stage of the integrated auction, e.g., the "proxy showdown stage," if an online bidder's maximum proxy price is greater than the highest bid from the live auction stage, then the integrated auction returns to the live auction until the proxy price has been met. Advantageously, in this manner, the reach of traditional auctions may be expanded via the Internet.

In the preferred embodiment, the steps of the present invention are embodied in machine-executable instructions. The instructions can be used to cause a general-purpose or special-purpose processor which is programmed with the instructions to perform the steps of the present invention. Alternatively, the steps of the present invention might be performed by specific hardware components that contain hardwired logic for performing the steps, or by any combination of programmed computer components and custom hardware components.

The present invention may be provided as a computer program product which may include a machine-readable medium having stored thereon instructions which may be used to program a computer (or other electronic devices) to perform a process according to the present invention. The machine-readable medium may include, but is not limited to, floppy diskettes, optical disks, CD-ROMs, and magneto-optical disks, ROMs, RAMs, EPROMs, EEPROMs, magnet or optical cards, flash memory, or other type of media / machine-readable medium suitable for storing electronic instructions. Moreover, the present invention may also be downloaded as a computer program product, wherein the program may be transferred from a remote computer (e.g., a server) to a requesting computer (e.g., a client) by way of data signals embodied in a carrier wave or other propagation medium via a communication link (e.g., a modem or network connection).

30 Client-Server Environment

5

10

15

20

25

35

Figure 1 is a simplified view of an exemplary client-server environment, such as the World Wide Web (the Web), in which the online portion of an integrated auction may take place. The architecture of the Web follows a conventional client-server model. The terms "client" and "server" are used to refer to a computer's general role as a requester of data (the client) or provider of data (the server). Web clients 105 and Web servers 110 communicate using a protocol such as HyperText Transfer Protocol (HTTP). In the Web environment, Web browsers reside on clients and render Web documents (pages) served by

4

the Web servers. The client-server model is used to communicate information between clients 105 and servers 110. Web servers 110 are coupled to the Internet 100 and respond to document requests and/or other queries from Web clients 105. When a user selects a document by submitting its Uniform Resource Locator (URL), a Web browser, such as Netscape Navigator or Internet Explorer, opens a connection to a server 110 and initiates a request (e.g., an HTTP get) for the document. The server 110 delivers the requested document, typically in the form of a text document coded in a standard markup language such as HyperText Markup Language (HTML).

10 Exemplary Online Auctioning Site Interface

Figure 2 is an exemplary online auction site screen that allows online bidders to participate in an integrated auction. According to one embodiment, when an online bidder requests to view items associated with an integrated auction, screen 200 is presented with a textual list of items 205. In this example, each item 210 includes a hypertext link 215 having a title (or brief description) of the item for sale, an indication 220 of whether or not an image of the item is available, the current minimum bid 230, the number of bids received 240, and an auction ending date and/or time 250. Responsive to the selection of the hypertext link 215, a subsequent screen (not shown) may prompt the online bidder to enter his/her maximum bid for the item 210. As will be described further below, by providing a maximum bid amount, a proxy bidding system may bid on behalf of the online bidder as necessary by increasing the online bidder's bid by the current bid increment until the maximum is reached. Advantageously, in this manner, the online bidder need not keep track of the auction as it proceeds and is assured he/she will not be outbid at the last minute – unless the maximum specified is exceeded.

25

30

35

15

20

5

Exemplary Computer System

A computer system 300 representing an exemplary server in which features of the present invention may be implemented will now be described with reference to **Figure 3**. Computer system 300 comprises a bus or other communication means 301 for communicating information, and a processing means such as processor 302 coupled with bus 301 for processing information. Computer system 300 further comprises a random access memory (RAM) or other dynamic storage device 304 (referred to as main memory), coupled to bus 301 for storing information and instructions to be executed by processor 302. Main memory 304 also may be used for storing temporary variables or other intermediate information during execution of instructions by processor 302. Computer system 300 also comprises a read only memory (ROM) and/or other static storage device 306 coupled to bus 301 for storing static information and instructions for processor 302.

5

A data storage device 307 such as a magnetic disk or optical disc and its corresponding drive may also be coupled to computer system 300 for storing information and instructions. Computer system 300 can also be coupled via bus 301 to a display device 321, such as a cathode ray tube (CRT) or Liquid Crystal Display (LCD), for displaying information to a computer user. Typically, an alphanumeric input device 322, including alphanumeric and other keys, may be coupled to bus 301 for communicating information and/or command selections to processor 302. Another type of user input device is cursor control 323, such as a mouse, a trackball, or cursor direction keys for communicating direction information and command selections to processor 302 and for controlling cursor movement on display 321.

A communication device 325 is also coupled to bus 301 for accessing remote servers via the Internet, for example. The communication device 325 may include a modem, a network interface card, or other commercially available network interface devices, such as those used for coupling to an Ethernet, token ring, or other type of network. In any event, in this manner, the computer system 300 may be coupled to a number of clients and/or other servers via a conventional network infrastructure, such as a company's Intranet and/or the Internet, for example.

System Overview

5

10

15

20

25

30

35

Figure 4 is a high level illustration of the interaction between various devices and processes according to one embodiment of the present invention. According to the embodiment depicted, an online auction site 400 may comprise one or more listing servers 410. In this example, the listing servers 410 include a listing management process 415, a proxy bidding process 425, and a live auction interface 430. Clients 470 interact with the listing management process 415 and the proxy bidding process 425 to view information about items for sale and submit proxy prices, respectively.

The listing management process 415 interacts with online bidders and provides them with information about the items in which they are interested. The listing management process 415 may support a text-based item listing format, such as that depicted in Figure 2, and/or a GalleryTM presentation format that includes thumbnail images of the items for sale as described in co-pending US Patent Application No. 09/177,726, entitled "Information Presentation and Management in an Online Trading Environment" and assigned to the assignee of the present invention (GALLERY is a trademark of eBay Inc. of San Jose, CA).

The proxy bidding process 425 tracks the maximum amounts that online bidders are willing to pay for the items 210. Based upon the maximum amounts provided, the proxy bidding process 425 automatically submits bids on behalf on the online bidders as other bidders (online or on-site bidders) increase the bid price.

6

The live auction interface 430 provides an interface by which online bids may be communicated to the on-site bidders and live bids may be communicated to the proxy bidding process 425 and updated on various online auction site screens.

While, in order to facilitate explanation, the listing servers 410 are generally discussed as if they were a single device, in actuality, the listing servers 410 may comprise multiple physical and/or logical devices connected in a distributed architecture, and the various functions performed may actually be distributed among multiple devices. For example, any function can be implemented on any number of machines or on a single machine. Also, any process may be divided across multiple machines.

10

15

20

25

30

35

5

Exemplary Stages of an Integrated Auction

Figure 5 conceptually illustrates the stages of an integrated auction according to one embodiment of the present invention. In this example, an integrated auction comprises three separate and distinct stages: a pre-auction bidding stage 530, a live auction stage 540, and a proxy showdown stage 550. Bidding results may be fed from one stage to the next and the results from a previous stage may serve as the floor for the following stage. For example, an initial round of online bidding 530 taking place over a predetermined period of time may establish a starting bid 510 for the live auction stage 540. At the conclusion of the live auction stage 540, if one or more online bidders have submitted maximum proxy prices that are greater than the final bid from the live auction stage 540, the proxy showdown stage 550 is triggered in which the live auction continues until the maximum proxy price has been met.

Integrated Auction Flow

Referring now to the flow diagram of **Figure 6**, exemplary integrated auction processing will now be described. At step 610, a minimum bid for the live auction stage 540 is established by an online auction site 400. For example, one or more online bidders may submit maximum bid amounts to the proxy bidding process 425 to have the proxy bidding process 425 bid on their behalf. Other bidders may choose to monitor the pre-auction bidding stage 530 and periodically submit bids. When the predetermined time period for the pre-auction bidding stage 530 expires, the highest bid is presented to the auction house via the live auction interface 430. In this manner, the starting bid for the live auction stage 540 is established in a new and exciting way, thereby creating additional hype about the auction. At step 620, the auction house conducts a live auction starting the bidding at the dollar amount provided by the online auction site 400. During the live auction, live bids by the on-site bidders may be communicated to the online bidders via the live auction interface 430. Additionally, the online bidders may be provided with teleconferencing or other means of monitoring the progress of the live auction 540. At any rate, at the conclusion of the live

7

auction, the final bid is input into the live auction interface 430. At step 630, a determination is made whether or not to perform a proxy showdown. If one or more online bidders have submitted a maximum proxy price greater than the highest bid from the live auction stage, then processing continues with step 640. Otherwise, the integrated auction is complete. At step 640, the on-site bidders are pitted against the one or more online bidders' proxies. As above, live bids are presented to the online auction site 400 via the live auction interface 430 to allow the online bidders to view near real-time updates. As explained previously, the proxy bidding process 425 will automatically bid on behalf of the online bidders as necessary until the maximum is exceeded. Therefore, step 640 continues until either all maximum proxy prices have been exceeded or until no further live bids are received.

5

10

15

In the foregoing specification, the invention has been described with reference to specific embodiments thereof. It will, however, be evident that various modifications and changes may be made thereto without departing from the broader spirit and scope of the invention. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

8

CLAIMS

**		•			•	
w	hat	10	C	laim	ned	10

5	1.	A method comprising:
		updating bidding information associated with an item in a online environment to
		reflect a current bid associated with the item in a live, in-person auction;
		accepting a bid from an online bidder in the online environment reflecting the online bidder's maximum proxy price; and
10		bidding on behalf of the online bidder against one or more live bidders that are
		participating in the live, in-person auction based upon the maximum proxy price.
	2.	The method of claim 1, wherein said bidding one behalf of the online bidder
		comprises bidding an amount that exceeds the current bid so long as the maximum
15		proxy price has not been exceeded and so long as the current bid is not that of the
		online bidder.
	3.	The method of claim 1, further comprising:
		prior to the live, in-person auction, establishing a starting bid for the item by
		performing a pre-auction bidding process in the online environment for a
20		predetermined amount of time; and
		communicating the starting bid for the item to the live, in-person auction.
	4.	A method comprising:
		establishing a starting bid for an item for a live portion of an auction by performing a
		pre-auction bidding process in an online environment for a predetermined
25		amount of time;
		communicating the starting bid for the item to the live portion of the auction; and
		during the live auction portion of the auction
		updating bidding information associated with the item in the online
		environment to reflect a current bid associated with the item in the live
30		portion of the auction,
		accepting a bid from an online bidder in the online environment reflecting the
		online bidder's maximum proxy price, and
		bidding against one or more live bidders that are present at the live auction

portion of the auction until the maximum proxy price has been met.


30

	5.	A computer system comprising:			
		a storage device having stored therein a one or more routines for integrating an online			
		bidding process with a live portion of an auction;			
		a processor coupled to the storage device for executing the one or more routines to			
5		provide feedback to online bidders in an online environment during the live			
		portion of the auction and serve as a proxy bidder for the online bidders,			
		where:			
		a starting bid is established for an item for the live portion of the auction by			
		performing a pre-auction bidding process in the online environment			
10		for a predetermined amount of time;			
		feedback is provided to the online bidders by updating bidding information			
		associated with the item in the online environment to reflect a current			
		bid associated with the item during the live portion of the auction, and			
	proxy	bidding is accomplished by accepting a bid from one or more of the an online bidders			
15	reflect	ting the online bidders' maximum proxy price and bidding on behalf of the one or			
	more online bidders against one or more live bidders participating in the live portion of the				
	auctio	on until each of the one or more online bidders' maximum proxy price has been met.			
	6.	A machine-readable medium having stored thereon data representing sequences of			
20		ctions, the sequences of instructions which, when executed by a processor, cause the			
20		•			
	proces	ssor to perform the steps of:			
		establishing a starting bid for an item for a live portion of an auction by performing a			
		pre-auction bidding process in an online environment for a predetermined			
25		amount of time;			
25		communicating the starting bid for the item to the live portion of the auction; and			
		during the live auction portion of the auction			


updating bidding information associated with the item in the online environment to

reflect a current bid associated with the item in the live portion of the auction, accepting a bid from an online bidder in the online environment reflecting the online bidder's maximum proxy price, and

bidding against one or more live bidders that are present at the live auction portion of the auction until the maximum proxy price has been met.



SUBSTITUTE SHEET (RULE 26)




For more items in this category, click on the following pages: =1=[2] [3] [4] [5] [6] [7] [8] [9] [10] [11] [12] [13] [14] [15] [16] [17] >>

Top: Integrated Auction

FIG. 2

SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)





FIG. 4






FIG. 6

SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT

International application No. PCT/US99/29312

		 		
A. CLASSIFICATION OF SUBJECT MATTER IPC(7) :G06F 17/30 US CL :705/37, 80				
	to International Patent Classification (IPC) or to both	national classification and IPC		
	DS SEARCHED ocumentation system follower	d by alassification symbols		
	705/37, 80	oy cassification symbols,		
Documentat	tion searched other than minimum documentation to the	extent that such documents are included	in the fields searched	
Electronic d	data base consulted during the international search (n	ame of data base and, where practicable	e, search terms used)	
Please Sea	e Extra Sheet.			
C. DOC	UMENTS CONSIDERED TO BE RELEVANT	· · · · · · · · · · · · · · · · · · ·		
Category*	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.	
Y, E	WO 99/63461 A (DINWOODIE) 09 Entire Document, especially page 5, li 1, 3	• • • • • • • • • • • • • • • • • • • •	1-6	
Y	PREIST et al. Adaptive Agents In Persistent Shout Double Auction. ACM Internatinal Conference on Information and Computation Economies. October 1998, pages 14, first and third paragraph.			
A	US 4,789,928 A (FUJISAKI) 06 December 1988 (06.12.88), Entire Document.			
A, P	US 5,890,138 A (GODIN et al.) 30 M Document.	arch 1999 (30.03.99), Entire	1,4-6	
	•			
X Further documents are listed in the continuation of Box C. See patent family annex.				
• Sp	ecial categories of cited documents:	"T" later document published after the inte date and not in conflict with the appli		
	cument defining the general state of the art which is not considered be of particular relevance	the principle or theory underlying the		
E ear	lier document published on or after the international filing date	"X" document of particular relevance; the considered novel or cannot be consider		
cita	cument which may throw doubts on priority claim(s) or which is ed to establish the publication date of another citation or other	"Y" document of particular relevance; the	a claimed invention cannot be	
·	scial reason (as specified) cument referring to an oral disclosure, use, exhibition or other	considered to involve an inventive combined with one or more other such	step when the document is	
P do	means being obvious to a person skilled in the art			
	actual completion of the international search	Date of mailing of the international sea	arch report	
17 MARC	•	1 8 APR 200	0	
	mailing address of the ISA/US ner of Patents and Trademarks	Authorized officer Reheat Weigherst	Hill	
Washington	n, D.C. 20231	Robert Weinhardt	:	
racsimile N	lo. (703) 305-3230	Telephone No. (703) 305-9780		

INTERNATIONAL SEARCH REPORT

International application No. PCT/US99/29312

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
<u> </u>		-
A	US 5,845,265 A (WOOLSTON) 01 December 1998 (01.12.98), Col. 6, lines 10-44.	1,4-6
4	US 5,794,219 A (BROWN) 11 August 1998 (11.8.98), Abstract.	1, 4-6
A, P	US 5,905,975 A (AUSUBEL) 18 May 1999 (18.05.99), Entire Document.	1,4-6
4	US 5,835,896 A (FISHER et al.) 10 November 1998 (10.11.98), Entire Document.	1,4-6

INTERNATIONAL SEARCH REPORT

International application No. PCT/US99/29312

B. FIELDS SEARCHED Electronic data bases consulted (Name of data base and where practicable terms used):
Dialog Search terms: live auction, commodity trading, stock trading, online auction, human proxy, real time, live auctioneer, auction houses, livebid.com, amazon.com, ebay, butterfield & butterfield, automobile auction, proxy bid, bidders, human, person, live, update, commodity auction.